

Demos Index

Sun Oct 07 07:13:39 AM EDT 2007

Demonstration Problem:

-----

demos/count

Count characters, words, and lines in text.  
Solutions are included with this demonstration  
problem. The files available are:

demos/count/Makefile	Commented Makefile.
demos/count/README	Usage Info.
demos/count/count.in	Judges input.
demos/count/count.test	Judges output.
demos/count/count.txt	Problem statement.
demos/count/count1.c	Solution in C.
demos/count/count1.cc	Solution in C++.
demos/count/count1.java	Solution in JAVA.
demos/count/count1.lsp	Solution in COMMONLISP.

Java IO Demo:

-----

demos/javaio

Demo of JAVA IO. The files available are:

demos/javaio/javaio.java	Demo code.
demos/javaio/Makefile	Makefile.
demos/javaio/javaio.in	Test input.
demos/javaio/javaio.test	Test output.

Count Demo README Fri Apr 14 10:28:05 EDT 2006

The files in this demo directory are:

public/count/Makefile	Commented Makefile.
public/count/README	Usage Info.
public/count/count.in	Judges input.
public/count/count.test	Judges output.
public/count/count.txt	Problem description.
public/count/count1.c	Solution in C.
public/count/count1.cc	Solution in C++.
public/count/count1.java	Solution in JAVA.
public/count/count1.lsp	Solution in COMMONLISP.

There may be other files used exclusively by the judge, such as .rc, .jin, and .jtest files.

The Makefile is commented, as opposed to most problem Makefiles. For a non-demo problem you are only given the .txt file and the Makefile.

To run the demo (under UNIX), first

```
cp count1.yy count.yy
```

for exactly ONE of yy = c, cc, java, or lsp. Then

```
make
```

To check that the output is correct

```
diff count.out count.test
```

Then to submit the demo

```
make submit
```

To see what debugging print commands might look like, try

```
make debug
```

If you want to edit the solution you chose, you may first need to

```
chmod u+w count.yy
```

(for the right yy), to make the file writable.

You should try introducing an error in the file and resubmitting to see the response. If you are in a contest that permits 'in-submit' and 'inout-submit', try

```
make in-submit
```

and then

```
make inout-submit
```

with a source file that has an error which makes it produce incorrect output.

Read the Makefile for more information.

If you have a non-UNIX system, you can submit the file count1.yy directly by sending email to the judge with subject 'submit count.yy' (note there is no '1' here) and body equal to the file count1.yy (here there is a '1'). You may run count1.yy using your own system with count.in as the standard input in order to generate count.out.

Although in this directory the problem description is in a .txt file, in other problem directories the problem description may be in a .html, .htm, or .ps (postscript) file.

File: README  
Authors: walton@deas.harvard.edu  
Date: see above

The authors have placed this file in the public domain; they make no warranty and accept no liability for this file.

RCS Info (may not be true date or author):

\$Author: hc3 \$  
\$Date: 2006/04/14 14:27:55 \$  
\$RCSfile: README,v \$  
\$Revision: 1.10 \$

```
# Makefile for the 'count' Demonstration Problem
#
# File:          Makefile
# Date:         Sat May 6 01:19:58 EDT 2006
#
# Exactly ONE of the four files count.c (C), count.cc
# (C++), count.java (Java), or count.lsp (Commonlisp)
# should exist.
#
# UNIX commands supported by this Makefile:
#
#     make          Same as 'make count.out'.
#
#     make count    Makes the binary program file
#                   'count' by running gcc on
#                   count.c, or g++ on count.cc,
#                   or javac on count.java,
#                   or hpcm_clisp on count.lsp,
#                   depending upon which of count.c,
#                   count.cc, count.java, or
#                   count.lsp exist. Also makes a
#                   shell script named 'count' for
#                   count.java and count.lsp files.
#                   Does nothing if 'count' is more
#                   up to date than count.c,
#                   count.cc, count.java, or
#                   count.lsp.
#
#     make count.out  Makes 'count' as above and
#                   then runs it with no arguments
#                   and with the standard input
#                   coming from the file count.in.
#                   Puts the standard output in the
#                   file count.out, and then copies
#                   that to the screen. Does nothing,
#                   however, if count.out is
#                   more recent than both count.in
#                   and count.
#
```

```
#     make count.debug  Ditto but runs 'count debug'
#                       (with the one argument 'debug')
#                       instead of 'count' and puts the
#                       output in count.debug instead
#                       of count.out.
#
#     make debug        Same as 'make count.debug'.
#
#     make submit       Makes 'count.out' just to be
#                       sure that nothing crashes, and
#                       then e-mails count.c, count.cc,
#                       count.java, or count.lsp to the
#                       judges.
#
#     make in-submit    Ditto, but requests that if
#                       the score is 'Incorrect Output'
#                       or 'Formatting Error', the
#                       judge's input for the failed
#                       test case will be returned in
#                       e-mail to the contestant.
#
#     make inout-submit  Ditto but requests both the
#                       judge's input and the judge's
#                       output for the test case.
#
#     make solution-submit  Like 'make submit' but requests
#                       that if the score is 'Completely
#                       Correct' the judge's solution
#                       will be returned in e-mail to
#                       the contestant.
#
#     make clean        Removes 'count', count.out, and
#                       other intermediate files that
#                       might exist, such as 'core',
#                       'count.class', or count.fas.
#
```

```
.SUFFIXES:
.SUFFIXES: .c .cc .java .lsp

default:          count.out

.c:
    rm -f $* core core.[0-9]*
    gcc -g -o $* $*.c -lm

.cc:
    rm -f $* core core.[0-9]*
    g++ -g -o $* $*.cc -lm

.java:
    rm -f $* *.class core core.[0-9]*
    javac -g $*.java
    echo >$* '#!/bin/sh'
    echo >>$* "exec `which java` $* \$$*"
    chmod a+r *.class
    chmod a+rx $*

.lsp:
    rm -f $* $*.fas $*.lib core core.[0-9]*
    hpcm_clisp -c $*.lsp
    echo >$* '#!/bin/sh'
    echo >>$* \
        "exec `hpcm_clisp -which` -I $*.fas \$$*"
    chmod a+r $*.fas
    chmod a+rx $*

#
```

```
# hpcm_sandbox below may execute 'count' as a special
# unprivileged user named 'sandbox', so various files
# must be 'a+x' or 'a+r'. 'hpcm_clisp -which' returns
# in the judging account the name of a version of the
# hpcm_clisp program that can be run in the sandbox.

count.out:          count count.in
    rm -f count.out core core.[0-9]*
    chmod a+x . count
    hpcm_sandbox -cputime 60 \
        -datasize 4m \
        -stacksize 4m \
        -filesize 50k \
        -tee count.out \
        count \
        <count.in

count.debug:        count count.in
    rm -f count.debug core core.[0-9]*
    chmod a+x . count
    hpcm_sandbox -cputime 60 \
        -datasize 4m \
        -stacksize 4m \
        -filesize 4m \
        -tee count.debug \
        count debug \
        <count.in

#
```

```
debug: count.debug

submit: count.out
       hpcm_submit count

in-submit: count.out
          hpcm_submit -in count

inout-submit: count.out
             hpcm_submit -inout count

solution-submit: count.out
               hpcm_submit -solution count

clean:
       rm -f count *.class core core.[0-9]* \
          count.out count.debug count.jout \
          count.fas count.lib

# Author: walton@deas.harvard.edu
#
# The authors have placed this file in the public
# domain; they make no warranty and accept no liability
# for this file.
#
# RCS Info (may not be true date or author):
#
# $Author: hc3 $
# $Date: 2006/05/06 05:19:22 $
# $RCSfile: Makefile,v $
# $Revision: 1.31 $
```

This is a good paragraph to start with.

And to continue in a bit more  
complicated  
vein,  
this is a good paragraph.

But  
the  
ultimate  
in  
poetically  
possible  
paragraphs  
is  
this,  
or  
is  
it!

Oh Well.

Paragraph 1: 1 lines, 8 words, 39 characters.  
Paragraph 2: 4 lines, 14 words, 70 characters.  
Paragraph 3: 12 lines, 12 words, 124 characters.  
Paragraph 4: 1 lines, 2 words, 8 characters.



Paragraph Character/Word/Line Counting.

The Itsy Bitsy Counting Company has a job counting the number of characters, words, and lines in a paragraph.

A paragraph is a sequence of 1 or more non-blank lines.

All the characters of a line count EXCEPT the trailing new line.

A word is a sequence of non-space (non ' ') characters on a line, and is separated from other words on the same line by sequences of space ( ' ' ) characters.

The only whitespace characters in the input are space and newline ( ' ' and '\n' ). No line has more than 100 characters in it, not counting the new line at the end.

Paragraphs are separated by one or more blank lines. A blank line may have whitespace characters, but nothing else.

The paragraphs in the input are numbered 1, 2, ... . The program reads its standard input, and for each paragraph in that input, prints the paragraph number and the counts, in exactly the following format:

Paragraph #: # lines, # words, # characters.

where each # denotes 1 or more decimal digits.

Example Input:

-----

This is a good paragraph to start with.

And to continue in a bit more complicated vein, this is a good paragraph.

But  
the  
ultimate  
in  
poetically  
possible  
paragraphs  
is  
this,  
or  
is  
it!

Oh Well.

Example Output:

-----

Paragraph 1: 1 lines, 8 words, 39 characters.  
Paragraph 2: 4 lines, 14 words, 70 characters.  
Paragraph 3: 12 lines, 12 words, 124 characters.  
Paragraph 4: 1 lines, 2 words, 8 characters.

```
#include <stdio.h>

#define dprintf if ( debug ) printf
int debug;

main ( int argc )
{
    debug = ( argc > 1 );

    int paragraph = 1;

    while ( 1 )
    {
        int characters = 0;
        int words = 0;
        int lines = 0;

        char buffer [102];

        int at_end_of_file = 1;

        while ( fgets ( buffer, sizeof ( buffer),
                       stdin ) )
        {
            char * cp = buffer;

            at_end_of_file = 0;

            while ( * cp == ' ' ) ++ cp;

            if ( * cp == 0 || * cp == '\n' ) break;

            ++ lines;

            do
            {
                ++ words;
                while ( * cp != ' ' &&
                       * cp != '\n' &&
                       * cp != 0 ) ++ cp;
                while ( * cp == ' ' ) ++ cp;
            } while ( * cp != 0 && * cp != '\n' );

            characters += ( cp - buffer );

            dprintf ( "+ %s", buffer );
            dprintf ( ". %d %d %d\n",
                    characters, words, lines );
        }

        if ( at_end_of_file ) break;

        if ( lines > 0 )
        {
            printf ( "Paragraph %d: %d lines, %d words,"
                    " %d characters.\n", paragraph,
                    lines, words, characters );

            ++ paragraph;
        }
    }

    return 1; /* This line can be omitted.
              * It is a test that make count.out
              * works even if count returns an
              * error code.
              */
}
```

```
#include <iostream>
using namespace std;

#define dout if ( debug ) cout
bool debug;

main( int argc )
{
    debug = ( argc > 1 );

    int paragraph = 1;

    while ( ! cin.eof() )
    {
        int characters = 0;
        int words = 0;
        int lines = 0;

        char buffer [101];

        while
            ( cin.getline ( buffer, sizeof ( buffer ) ),
              ! cin.eof() )
        {
            char * cp = buffer;
            while ( * cp == ' ' ) ++ cp;

            if ( * cp == 0 ) break;

            ++ lines;

            do
            {
                ++ words;
                while ( * cp != ' ' && * cp ) ++ cp;
                while ( * cp == ' ' ) ++ cp;
            } while ( * cp );

            characters += ( cp - buffer );
            dout << "+ " << buffer << endl;
            dout << ". " << characters
                << " " << words
                << " " << lines << endl;
        }

        if ( lines > 0 )
        {
            cout << "Paragraph " << paragraph << ": "
                << lines << " lines, "
                << words << " words, "
                << characters << " characters."
                << endl;

            ++ paragraph;
        }
    }

    return 1; // This line can be omitted.
            // It is a test that make count.out
            // works even if count returns an
            // error code.
}
```

```
// Count Demo Program: JAVA Version
//
// File:          count.java [After renaming]
// Actual-File:  count1.java [Before renaming]
// Author:       Bob Walton <walton@deas.harvard.edu>
// Date:        Thu May  4 10:07:11 EDT 2006
//
// The authors have placed this program in the public
// domain; they make no warranty and accept no liability
// for this program.
//
// RCS Info (may not be true date or author):
//
// $Author: hc3 $
// $Date: 2006/05/04 14:06:33 $
// $RCSfile: count1.java,v $
// $Revision: 1.7 $

import java.io.*;
import java.util.StringTokenizer;

public class count {

    public static boolean debug;

    public static void dprintln ( String s )
    {
        if ( debug ) System.out.println ( s );
    }

    public static void main (String[] args)
        throws IOException
    {

        debug = ( args.length > 0 );

        BufferedReader reader
            = new BufferedReader
              ( new InputStreamReader
                ( System.in ) );

        // Loop through paragraphs.
        //
        int paragraph = 1;
```

```
        boolean eof_seen = false;
        while ( ! eof_seen )
        {
            int characters = 0;
            int words = 0;
            int lines = 0;

            while ( true )
            {
                String line = reader.readLine();
                if ( line == null )
                {
                    // readLine returns null on EOF.
                    //
                    eof_seen = true;
                    break;
                }

                StringTokenizer tokenizer
                    = new StringTokenizer ( line );

                // Break on blank line.
                //
                if ( ! tokenizer.hasMoreTokens() )
                    break;

                ++ lines;

                // Count words in line.
                //
                while ( tokenizer.hasMoreTokens() )
                {
                    ++ words;
                    tokenizer.nextToken();
                }

                // Count characters in line.
                //
                characters += line.length();

                dprintln ( "+ " + line );
                dprintln ( ". " + characters +
                    " " + words +
                    " " + lines );
            }
        }
    }
}
```

```
    }  
    // Ignore blank 'paragraphs'.  
    //  
    if ( lines > 0 )  
    {  
        // Print paragraph output.  
        //  
        System.out.println  
            ( "Paragraph " + paragraph + ": "  
              + lines + " lines, "  
              + words + " words, "  
              + characters + " characters."  
            );  
        ++ paragraph;  
    }  
}  
}
```

```

(defvar debug)
(defun dformat (&rest r)
  (if debug (apply #'format t r)))

(defun main (&rest r)
  (setq debug r)
  (read-a-paragraph 1))

;; Counts are expressed as a triple:
;;
;;      (line-count word-count character-count)

(defvar blank-line '(1 0 0))
(defvar end-of-file '(0 0 0))

(defun read-a-paragraph (paragraph)
  (let ( (counts (read-a-line)) )
    (cond
      ((equal counts blank-line)
       (read-a-paragraph paragraph))
      ((not (equal counts end-of-file))
       (read-rest-of-paragraph counts paragraph))))))

(defun read-rest-of-paragraph (counts paragraph)
  (apply #'dformat ". ~A ~A ~A~%" (reverse counts))
  (let ( (line-counts (read-a-line)) )
    (cond ((or (equal line-counts blank-line)
               (equal line-counts end-of-file))
           (format t "Paragraph ~S" paragraph)
           (format t ": ~S lines" (first counts))
           (format t ", ~S words" (second counts))
           (format t ", ~S characters.~%"
                 (third counts))
           (if (equal line-counts blank-line)
               (read-a-paragraph (1+ paragraph))))
      (t
       (read-rest-of-paragraph
        (mapcar #'(lambda (line-counts)
                    (read-a-line))
                counts)
        paragraph))))))

(defun read-a-line ()
  (let ( (line (read-line t nil 'eof)) )
    (cond

```

```

      ((eq line 'eof) '(0 0 0))
      (t (if (/= (length line) 0)
             (dformat "+ ~A~%" line)
             '(1 ,(read-a-word line 0 (length line) 0)
                 ,(length line))))))

(defun read-a-word (line index length count)
  (cond
    ((>= index length) count)
    ((char= #\Space (aref line index))
     (read-a-word line (1+ index) length count))
    (t
     (read-rest-of-word line (1+ index) length count))))

(defun read-rest-of-word (line index length count)
  (cond
    ((>= index length) (1+ count))
    ((char= #\Space (aref line index))
     (read-a-word line (1+ index) length (1+ count)))
    (t
     (read-rest-of-word line (1+ index) length count))))

```

```
// JAVA IO Demo
//
// File:      javaio.java
// Author:    Bob Walton <walton@deas.harvard.edu>
// Date:     Thu Feb 12 23:05:12 EST 2004
//
// The authors have placed this program in the public
// domain; they make no warranty and accept no liability
// for this program.
//
// RCS Info (may not be true date or author):
//
// $Author: hc3 $
// $Date: 2004/02/13 04:06:10 $
// $RCSfile: javaio.java,v $
// $Revision: 1.4 $

import java.io.*;
import java.text.DecimalFormat;
import java.text.NumberFormat;
import java.util.Locale;

// This program reads input, parses it into tokens,
// prints info about the tokens, and prints a summary
// at the end.  The program illustrates use of the
// StringTokenizer and DecimalFormat classes.

public class javaio {

    public static void main (String[] args)
        throws IOException {

        // Set up the StringTokenizer.
        //
        Reader reader
            = new BufferedReader
                ( new InputStreamReader
                  ( System.in ) );
        StringTokenizer tokenizer
            = new StringTokenizer ( reader );

        // Set to read any string of non-whitespace
        // characters as a word.
        //
```

```
tokenizer.resetSyntax();
tokenizer.wordChars ( '!', '\u00FF' );
tokenizer.whitespaceChars ( '\u0000', ' ' );
//
// You must not set the same character to be
// both a word character and a whitespace
// character.

// Set to read end of line as a token.
// If this function is not called, end of
// line is treated as a simple space character.
//
tokenizer.eolIsSignificant ( true );

// Read numbers as tokens.  If not called,
// numbers are not handled specially.
//
// WARNING: This makes isolated '.'s input as
// the the number 0, while '-'s may input as
// a separator.
//
tokenizer.parseNumbers();

// Parse certain characters as 1-character
// tokens.
//
tokenizer.ordinaryChar ( ',' );
tokenizer.ordinaryChar ( '(' );
tokenizer.ordinaryChar ( ')' );

// Set up number formatter.  Note that it is
// important in ACM programming contests to
// insist on an ENGLISH formatter.
//
// Also, do NOT put commas in the output.
//
DecimalFormat formatter = (DecimalFormat)
    NumberFormat.getInstance ( Locale.ENGLISH );
formatter.applyPattern ( "#0.00" );

// Process a paragraph.  Paragraphs are
// separated by blank lines.
//
```

```
int paragraph = 1;
boolean eof_seen = false;
while ( ! eof_seen )
{
    int numbers = 0;
    int words = 0;
    int separators = 0;
    int lines = 0;

    boolean eop_seen = false;
    boolean line_is_blank = true;

    while ( ! eop_seen && ! eof_seen )
    {
        tokenizer.nextToken();
        switch ( tokenizer.ttype )
        {

            case StreamTokenizer.TT_EOF:

                if ( line_is_blank )
                {
                    eof_seen = true;
                    break;
                } else
                {
                    throw new RuntimeException
                        ( "EOF in bad place" );
                }

            case StreamTokenizer.TT_EOL:

                if ( ! line_is_blank )
                    ++ lines;
                else if ( lines != 0 )
                    eop_seen = true;
                line_is_blank = true;
                break;

            case StreamTokenizer.TT_NUMBER:

                System.out.print ( "NUMBER " );
                System.out.print ( tokenizer.nval );
                System.out.print ( " = " );
                System.out.print
                    ( formatter.format
```

```
                ( tokenizer.nval ) );
                System.out.println();
                line_is_blank = false;
                ++ numbers;
                break;

            case StreamTokenizer.TT_WORD:
                System.out.print ( "WORD " );
                System.out.print ( tokenizer.sval );
                System.out.println();
                line_is_blank = false;
                ++ words;
                break;

            case '(' :
            case ')' :
            case ',' :
            case '-' :
                System.out.print ( "SEPARATOR " );
                System.out.print
                    ( (char) tokenizer.ttype );
                System.out.println();
                line_is_blank = false;
                ++ separators;
                break;

            default:
                throw new RuntimeException
                    ( "Bad token type "
                    + tokenizer.ttype );
        }
    }

    if ( lines > 0 )
    {
        System.out.println
            ( "Paragraph " + paragraph + ":" );

        System.out.println
            ( "      " + lines + " lines, "
            + words + " words, "
            + numbers + " numbers, "
            + separators
            + " separators." );
    }
}
```



```
double m =
    ( (double) 100.0 )
    / ( words + numbers + separators );

System.out.println
    ( "      "
      + formatter.format
        ( m * words )
      + "% words, "
      + formatter.format
        ( m * numbers )
      + "% numbers, "
      + formatter.format
        ( m * separators )
      + "% separators." );

    ++ paragraph;
  }
}
}
```

```
# Makefile for JAVA IO Demo
#
# File:          Makefile
# Date:          Sat May  6 01:27:00 EDT 2006
#
# See demonstration Makefile for documentation.
#
# The program for this problem is named:

P = javaio

.SUFFIXES:
.SUFFIXES: .c .cc .java .lsp

default:        $P.out

.c:
    rm -f $* core core.[0-9]*
    gcc -g -o $* $*.c -lm

.cc:
    rm -f $* core core.[0-9]*
    g++ -g -o $* $*.cc -lm

.java:
    rm -f $* *.class core core.[0-9]*
    javac -g $*.java
    echo >$* '#!/bin/sh'
    echo >>$* "exec `which java` $* \$$*"
    chmod a+r *.class
    chmod a+rx $*

#

.lsp:
    rm -f $* $*.fas $*.lib core core.[0-9]*
    hpcm_clisp -c $*.lsp
    echo >$* '#!/bin/sh'
    echo >>$* \
        "exec `hpcm_clisp -which` -I $*.fas \$$*"
    chmod a+r $*.fas
    chmod a+rx $*

$P.out: $P $P.in
    rm -f $P.out core core.[0-9]*
    chmod a+x . $P
    hpcm_sandbox -cputime 60 \
        -datasize 4m \
        -stacksize 4m \
        -filesize 50k \
        -tee $P.out \
        $P \
        <$P.in

$P.debug:        $P $P.in
    rm -f $P.debug core core.[0-9]*
    chmod a+x . $P
    hpcm_sandbox -cputime 60 \
        -datasize 4m \
        -stacksize 4m \
        -filesize 4m \
        -tee $P.debug \
        $P debug \
        <$P.in

debug:           $P.debug

submit:          $P.out
    hpcm_submit $P

in-submit:      $P.out
    hpcm_submit -in $P

inout-submit:   $P.out
    hpcm_submit -inout $P

solution-submit: $P.out
```

<pre>hpcm_submit -solution \$P  clean:   rm -f \$P *.class core core.[0-9]* \       *.out *.debug *.fout *.jout *.jfout \       \$P.fas \$P.lib make_\$\$*_input  #</pre>	<pre># Author:          walton@deas.harvard.edu # # The authors have placed this file in the public # domain; they make no warranty and accept no liability # for this file. # # RCS Info (may not be true date or author): # # \$Author: hc3 \$ # \$Date: 2006/05/06 05:28:40 \$ # \$RCSfile: Makefile,v \$ # \$Revision: 1.3 \$</pre>
---	---

This is a nice sentence.  
And another.

These are some numbers:  
1 2 3 4 5 6 7 8 9 10  
8.4 123456789

These are some strange cases:  
. - a-b -a -3.0a

How about some separators, (a good thought).  
Well, not everything that should be is a separator.

WORD This  
WORD is  
WORD a  
WORD nice  
WORD sentence.  
WORD And  
WORD another.  
Paragraph 1:  
2 lines, 7 words, 0 numbers, 0 separators.  
100.00% words, 0.00% numbers, 0.00% separators.  
WORD These  
WORD are  
WORD some  
WORD numbers:  
NUMBER 1.0 = 1.00  
NUMBER 2.0 = 2.00  
NUMBER 3.0 = 3.00  
NUMBER 4.0 = 4.00  
NUMBER 5.0 = 5.00  
NUMBER 6.0 = 6.00  
NUMBER 7.0 = 7.00  
NUMBER 8.0 = 8.00  
NUMBER 9.0 = 9.00  
NUMBER 10.0 = 10.00  
NUMBER 8.4 = 8.40  
NUMBER 1.23456789E8 = 123456789.00  
Paragraph 2:  
3 lines, 4 words, 12 numbers, 0 separators.  
25.00% words, 75.00% numbers, 0.00% separators.  
WORD These  
WORD are  
WORD some  
WORD strange  
WORD cases:  
NUMBER 0.0 = 0.00  
SEPARATOR -  
WORD a-b  
SEPARATOR -  
WORD a  
NUMBER -3.0 = -3.00  
WORD a  
Paragraph 3:  
2 lines, 8 words, 2 numbers, 2 separators.  
66.67% words, 16.67% numbers, 16.67% separators.

WORD How  
WORD about  
WORD some  
WORD separators  
SEPARATOR ,  
SEPARATOR (  
WORD a  
WORD good  
WORD thought  
SEPARATOR )  
NUMBER 0.0 = 0.00  
WORD Well  
SEPARATOR ,  
WORD not  
WORD everything  
WORD that  
WORD should  
WORD be  
WORD is  
WORD a  
WORD separator.  
Paragraph 4:  
2 lines, 16 words, 1 numbers, 4 separators.  
76.19% words, 4.76% numbers, 19.05% separators.